

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY

AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE PO BOX 1450, ALEXANDRIA, VA 22313-1450 WWW.USPTO.GOV

:FOR PATENT OWNER

JAMES E ARMSTRONG IV ARMSTRONG WESTERMAN HATTORI

MCLELAND & NAUGHTON 1725 K STREET NW, SUITE 1000

**WASHINGTON DC 20006** 

for Patent No. 5,216,135

JUDITH A. EVANS **JONES & VOLENTINE** :FOR REQUESTER 12200 SUNRISE VALLEY DRIVE SUITE 150 ©RESTON, VA 20191 In re Reexamination Proceeding of Urano et al ©Control No.: 90/004,812 Filed: October 23, 1997 回for Patent No.: 5,216,135 : LETTER OF CORRECTION In re Reissue application of Urano et al Serial No. 09/810,650 Filed: March 15, 2001

The papers filed by patent owner on June 5, 2003, (Notice of Appeal, Amendment after Final Office action and Certificate of Service) are defective in that only a single copy of each was filed directed solely to the reissue application. The Decision merging the Reexamination Proceeding and the Reissue application required that all papers submitted by Patent Owner be filed in duplicate, one copy for each file, each bearing an original signature. It appears that it is an inadvertent oversight that the above papers were not filed in accordance with this requirement. Therefor, in order to meet this requirement the Office has amended the heading of each paper to include the Reexamination Control No. Copies of the amended sheets are included with this letter. Patent Owner is, however, reminded that failure to provide the required number of copies of each submitted paper may result in the application being held abandoned and the merger dissolved. The merged files will be forwarded to the examiner for consideration of the amendment after Final Office action.

Should there be any questions with respect to this decision, please contact William R. Dixon, Jr., by mail addressed to: Director, Group 1600, PO BOX 1450, ALEXANDRIA, VA 22313-1450, or by telephone at (703)308-3824 or by facsimile transmission at (703) 305-7230.

Bruce M. Kisliuk
Director, Group 1600